

# REQUEST FOR A FORMAL WRITTEN QUOTATIONS

Ngwathe Local Municipality is hereby inviting service providers to submit on the following:

Date advertised: 19 May 2016 - Closing Date: 25 May 2016 at 12:00

Supply, Delivery and Off-Load Fencing Material	Mr. Gontse	01(05/2016)
	Tsaagane	
Section A : Fence Panels	Contact No: 0712925204	
<ol> <li>2.4 meter high panel with smart coil along the top of the fence. The fence should be treated for rust and coating (Treated);</li> <li>Dim 'A' 2400mm;</li> <li>450 diameter smart coil along fence;</li> <li>The posts should suit mounting of the smart coil;</li> <li>200 meters of fence is required;</li> <li>The fence should be 100% rigid.</li> </ol>	7000	
Supply, Delivery and Off-Load Fencing Material  Section B: Fence Panels  1. 2.4 meter high panel with smart coil along the top of the fence.	Contact Person: Mr. Gontse Tsaagane Contact No: 0712925204	02(05/2016
The fence should be treated for rust and coating (Treated); 2. Dim 'A' 2400mm; 3. 450 diameter smart coil; 4. The posts should suit mounting of the smart coil; 5. 200 meters of fence is required.	5 g	
<ul><li>5. 200 meters of fence is required;</li><li>6. The fence should be 100% rigid.</li></ul>		

Supply, Delivery and Off-Load Fencing Material  Section C: Fence Panels  1. 2.4 meter high panel with smart coil along the top of the fence. The fence should be treated for rust and coating (Treated);  2. Dim 'A' 2400mm;  3. 450 diameter smart coil;  4. The posts should suit mounting of the smart coil;  5. 200 meters of fence is required;  6. The fence should be 100% rigid.	Contact Person: Mr. Gontse Tsaagane Contact No: 0712925204	03(05/2016
Section D: Fence Panels, 2 vehicular gates and 2 pedestrian gates complete to suit fence panels.  1. 2.4 meter high gate with smart coil along the top of the fence. The fence should be treated for rust and coating (Treated); 2. Dim 'A' 2400mm; 3. 450 diameter smart coil; 4. The posts should suit mounting of the smart coil; 5. 160 meter of fence required, 2× (10 meter × 2.4 meter high Vehicular gate) and 2× (1m × 2.4 meter high pedestrian gate); 6. The fence should be 100% rigid	Contact Person: Mr. Gontse Tsaagane Contact No: 0712925204	04(05/2016
ppointment of a service provider for fencing:  Section E: Labour  Labour to installation of fencing for the bellow mentioned specifications:  Section A: Fence Panels  1. 2.4 meter high panel with smart coil along the top of the fence. The fence should be treated for rust and coating (Treated); 2. Dim 'A' 2400mm; 3. 450 diameter smart coil along fence; 4. The posts should suit mounting of the smart coil; 5. 200 meters of fence is required;	Contact Person: Mr. Gontse Tsaagane Contact No: 0712925204	05(05/2016

6. The fence should be 100% rigid.

### Section B: Fence Panels

- 2. 2.4 meter high panel with smart coil along the top of the fence. The fence should be treated for rust and coating (Treated);
  - 2. Dim 'A' 2400mm;
  - 3. 450 diameter smart coil;
  - 4. The posts should suit mounting of the smart coil;
  - 5. 200 meters of fence is required;
  - 6. The fence should be 100% rigid.

### Section C: Fence Panels

- 2.4 meter high panel with smart coil along the top of the fence. The fence should be treated for rust and coating (Treated);
- 2. Dim 'A' 2400mm;
- 3. 450 diameter smart coil;
- 4. The posts should suit mounting of the smart coil;
- 5. 200 meters of fence is required;
- 6. The fence should be 100% rigid.

# Section D: Fence Panels, 2 vehicular gates and 2 pedestrian gates complete to suit fence panels.

- 1. 2.4 meter high gate with smart coil along the top of the fence. The fence should be treated for rust and coating (Treated);
  - 2. Dim 'A' 2400mm;
  - 3. 450 diameter smart coil;
  - 4. The posts should suit mounting of the smart coil;
  - 5. 160 meter of fence required, 2× (10 meter × 2.4 meter high Vehicular gate) and 2× (1m × 2.4 meter high pedestrian gate);
  - 6. The fence should be 100% rigid

## Supply Chain Management Unit:

Contact person(s): Me. Lydia Mbalo

0796795757

Email : thabisos@ngwathe.co.za

Specification:

Detailed specifications can be obtained from Bid documents available at Liebenbergstrek, Parys at Supply Chain Management Office.

# Instructions dealing with the depositing of quotations:

Address a sealed envelope clearly marked with the **quote no.**, **description** and **closing date** to "Municipal Manager, PO Box 359, Parys, 9585" or Deposit it in the Tender Box situated at Liebenbergstrek , Parys, **Outside the main building.** 

### PLEASE NOTE

- Ngwathe Local Municipality Procurement Policy will apply;
- The lowest or any quote will not necessarily be accepted and the Municipality reserves the right to accept where applicable a portion of any quotation;
- Late, emailed or faxed quotations will not be considered.
- Quotations submitted are to hold good for the period up until to 90 days;
- All persons in the service of the state are not allowed to bid; and
- 80/20 Preferential Pointing System will be used to evaluate the quotes.
- BBBEE Certificate should be submitted.

taeli

Please attach the following documents: (Failure to submit the below mentioned documents will result to immediate Disqualification)

- An original valid Tax Clearance Certificate obtainable from SARS; and
- An original current account in terms of water & lights/Rates & Taxes obtainable from any Local Municipality.
- SITA compliance certificate or applicable on training service

Mr. P. Tsekedi Acting Municipal Manager